



Österreichisches Institut für Bautechnik
Schenkenstrasse 4 | 1010 Vienna | Austria
T +43 1 533 65 50 | F +43 1 533 64 23
mail@oib.or.at | www.oib.or.at



European technical approval

ETA-06/0184

(English language translation, the original version is in German language)

Handelsbezeichnung
Trade name

**RÖFIX MINOPOR Mineralschaum-Wärmedämmsystem
Hasitherm MINOPOR Mineralschaum-Wärmedämmsystem
Fixitherm MINOPOR Mineralschaum-Wärmedämmsystem
Kreisel MINOPOR Mineralschaum-Wärmedämmsystem**

Zulassungsinhaber
Holder of approval

**FIXIT Trockenmörtel Holding AG
Haldenstrasse 5
6342 Baar
Switzerland**

Zulassungsgegenstand
und Verwendungszweck

**Außenseitiges Wärmedämm-Verbundsystem mit
Putzschicht zur Wärmedämmung von Gebäuden**

*Generic type and use of
construction product*

*External Thermal Insulation Composite System with rendering
for the use as external insulation of building walls*

Geltungsdauer vom
validity from
bis
to

28.06.2013

27.06.2018

Herstellwerk
Manufacturing plant

Werk 1 - 8

Diese Europäische
technische Zulassung umfasst
*This European technical
approval contains*

16 Seiten inklusive 0 Anhänge

16 pages including 0 Annexes

Diese Europäische
technische Zulassung
verlängert
*This European technical
approval extends*

**ETA-06/0184 mit Geltungsdauer vom 14.05.2007 bis
13.05.2012**

ETA-06/0184 with validity from 14.05.2007 to 13.05.2012



European Organisation for Technical Approvals
Europäische Organisation für Technische Zulassungen
Organisation Européenne pour l'Agrément Technique

5 Indications to the manufacturers

5.1 Packaging, transport and storage

Packaging of the components has to be such that the products are protected from moisture during transport and storage, unless other measures are foreseen by the manufacturer for this purpose.

The components have to be protected against damage.

It is the responsibility of the manufacturer(s) to ensure that these provisions are easily accessible to the concerned people.

5.2 Use, maintenance and repair

The finishing coat shall normally be maintained in order to fully preserve the ETICS's performances.

Maintenance includes at least

- the repairing of localised damaged areas due to accidents
- the aspect maintenance with products adapted and compatible with the ETICS (possibly after washing or ad hoc preparation)

Necessary repairs should be done rapidly.

It is important to be able to carry out maintenance as far as possible using readily available products and equipment, without spoiling appearance.

It is the responsibility of the manufacturer(s) to ensure that these provisions are easily accessible to the concerned people.

On behalf of Österreichisches Institut für Bautechnik



Rainer Mikulits
Managing Director

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.