

Rotho Blaas Srl
Via Dell'Adige 2/1
I-39040 Cortaccia (BZ)
ITALY

Eurofins Product Testing Denmark A/S
Smedeskovvej 38
8464 Galten
Denmark

DK-CustomerSupport@cpt.eurofinseu.com
www.eurofins.com

VOC EMISSION TEST REPORT

EMICODE

17 June 2025

1 Sample Information

Sample name	XYLOFON 35
Batch no.	222512
Stated production date	24/03/2025
Product type	Underlays
Sample reception	08/04/2025

2 Brief Evaluation of the Results

Regulation or protocol	Conclusion	Version of regulation or protocol
EMICODE	EC 1 PLUS	February 2025

Full details based on the testing and direct comparison with limit values are available in the following pages
Regarding pass/fail decision rule please see appendix



Claus Bonde
Analytical Service Manager



Mads Folkjær
Analytical Chemist

6 Summary and Evaluation of the Results

6.1 Comparison with Limit Values of EMICODE

Parameters	Concentration μg/m³	EC 2 μg/m³	EC 1 μg/m³	EC 1 PLUS μg/m³
TVOC 3 days (EN 16516)	< 5	≤ 3000	≤ 1000	≤ 750
TVOC 28 days (EN 16516)	< 5	≤ 300	≤ 100	≤ 60
TSVOC 28 days (EN 16516)	< 5	≤ 100	≤ 50	≤ 40
Sum without NIK/LCI 28 days	< 5	> 40		≤ 40
R-value 28 days (dimensionless)	0	> 1	≤ 1	
Formaldehyde 3 days	< 3	≤ 50		
Acetaldehyde 3 days	3.2	≤ 50		
Sum Formaldehyde + Acetaldehyde [ppm] 3 days	< 0.005	≤ 0.05		
Formaldehyde 28 days	< 3	≤ 10		
Sum carcinogens 3 days	< 1	≤ 10		
Sum carcinogens 28 days	< 1	≤ 1		

This test report does not alone entitle to use the protected trademark label EMICODE. For the use of an EMICODE label a license has to be applied for at the GEV, Düsseldorf, Germany. A license can only be granted for ready-to use products, if some additional requirements on contents of certain chemicals (e.g. solvent-free) are fulfilled.