

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006, ARTICLE 31

GREWI PU 750-Pistolenschaum

Page 1 of 10

Creation date: 29.05.2026, Revision: 29.05.2026

Version: 2

GREWI Handels GmbH
A-4633 Kematen/I. · Moos Nr. 40
ATU 62309807 · FN 275114 f
Tel. +43(0)7247/6920
Fax +43(0)7247/6920-20
E-Mail office@grewi.at
www.grewi.at



Die Marke für Profis

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **GREWI PU 750-Pistolenschaum**

UFI: UH8F-9N2D-M80F-JSN1

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture - One-component polyurethane foam - gun grade

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

GREWI Handels GmbH
Moos Nr. 40
A-4633 Kematen am Innbach
Tel. +43 (0) 7247 6920
Fax. +43 (0) 7247 6920-20
E-Mail: office@grewi.at

· 1.4 Emergency telephone number: - In case of emergency, consult physician

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Aerosol 1	H222-H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
Acute Tox. 4	H332	Harmful if inhaled.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
Resp. Sens. 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Carc. 2	H351	Suspected of causing cancer.
STOT SE 3	H335	May cause respiratory irritation.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02 GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labelling:

diphenylmethanediisocyanate, isomeres and homologues
reaction products of phosphoryl trichloride and 2-methyloxirane

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

(Contd. on page 2)

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006, ARTICLE 31

GREWI PU 750-Pistolenschaum

Page 2 of 10

Creation date: 29.05.2026, Revision: 29.05.2026

Version: 2

GREWI Handels GmbH
A-4633 Kematen/I. · Moos Nr. 40
ATU 62309807 · FN 275114 f
Tel. +43(0)7247/6920
Fax +43(0)7247/6920-20
E-Mail office@grewi.at
www.grewi.at



Die Marke für Profis

(Contd. of page 1)

- H332 Harmful if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
- P251 Do not pierce or burn, even after use.
- P280 Wear protective gloves/protective clothing/eye protection.
- P302+P352 IF ON SKIN: Wash with plenty of water/soap.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of container in accordance with local/regional/national/international regulation.

· Additional information:

Persons already sensitised to diisocyanates may develop allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used. As from 24 August 2023 adequate training is required before industrial or professional use.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- PBT: Not applicable
- vPvB: Not applicable
- Determination of endocrine-disrupting properties Not applicable

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 9016-87-9	diphenylmethanediisocyanate, isomers and homologues ⚠ Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; ⚠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5% Eye Irrit. 2; H319: C ≥ 5% Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; H335: C ≥ 5%	25 – < 50%
CAS: 115-10-6 EINECS: 204-065-8 Index number: 603-019-00-8 Reg.nr.: 01-2119472128-37	dimethyl ether ⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10 – < 25%

(Contd. on page 3)

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006, ARTICLE 31

GREWI PU 750-Pistolenschaum

Page 3 of 10

Creation date: 29.05.2026, Revision: 29.05.2026

Version: 2

GREWI Handels GmbH
A-4633 Kematen/I. · Moos Nr. 40
ATU 62309807 · FN 275114 f
Tel. +43(0)7247/6920
Fax +43(0)7247/6920-20
E-Mail office@grewi.at
www.grewi.at



Die Marke für Profis

(Contd. of page 2)		
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-01-8 Reg.nr.: 01-2119485395-27-xxxx	isobutane ⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5 – < 10%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	propane ⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280	1 – < 5%
CAS: 1244733-77-4 Reg.nr.: 01-2119486772-26	reaction products of phosphoryl trichloride and 2-methyloxirane ⚠ Carc. 2, H351; ⚠ Acute Tox. 4, H302; Aquatic Chronic 3, H412	1 – < 5%
CAS: 556-67-2 EINECS: 209-136-7 Index number: 014-018-00-1 Reg.nr.: 01-2119529238-36	octamethylcyclotetrasiloxane ⚠ Flam. Liq. 3, H226; ⚠ Repr. 2, H361f; ⚠ Aquatic Chronic 1, H410 (M=10) PBT; vPvB	< 0.1%
· Additional information: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Foam

CO₂, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NO_x)

Carbon monoxide (CO)

(Contd. on page 4)

EU

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006, ARTICLE 31

GREWI PU 750-Pistolenschaum

Page 4 of 10

Creation date: 29.05.2026, Revision: 29.05.2026

Version: 2

GREWI Handels GmbH
A-4633 Kematen/I. · Moos Nr. 40
ATU 62309807 · FN 275114 f
Tel. +43(0)7247/6920
Fax +43(0)7247/6920-20
E-Mail office@grewi.at
www.grewi.at



Die Marke für Profis

(Contd. of page 3)

Hydrogen cyanide (HCN)

· 5.3 Advice for firefighters

· **Protective equipment:** Mouth respiratory protective device.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not flush with water or aqueous cleansing agents

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure that suitable extractors are available on processing machines

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility:

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

Store away from oxidising agents.

· Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Protect from humidity and water.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

(Contd. on page 5)

EU

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006, ARTICLE 31

GREWI PU 750-Pistolenschaum

Page 5 of 10

Creation date: 29.05.2026, Revision: 29.05.2026

Version: 2

GREWI Handels GmbH
A-4633 Kematen/I. · Moos Nr. 40
ATU 62309807 · FN 275114 f
Tel. +43(0)7247/6920
Fax +43(0)7247/6920-20
E-Mail office@grewi.at
www.grewi.at



Die Marke für Profis

(Contd. of page 4)

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

BOELV Short-term value: 0.012 (0.020)* mg/m³
Long-term value: 0.006 (0.010)* mg/m³
as -NCO *until 31.12.2028

IOELV Short-term value: 0.07 mg/m³
Long-term value: 0.02 mg/m³

CAS: 115-10-6 dimethyl ether

IOELV Long-term value: 1920 mg/m³, 1000 ppm

- **DNELs**

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

Inhalative DNEL Long term systemic effects inhalation mg/m³ (rat)

- **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.

- **Respiratory protection:**

In case of inadequate ventilation in small enclosed spaces wear respiratory protection, a protective mask (EN ISO 140: 1999/AC2000) with an appropriate gas filter (i.e. type A1 according to standard EN 14387).

- **Hand protection**



Protective gloves

Protective gloves according to EN ISO 374-4:2020.

- **Material of gloves** Glove material LDPE, min. thickness 0,06 mm

- **Penetration time of glove material** Minimum breakthrough time >10 minutes (Level 1)

- **Eye/face protection**



Tightly sealed goggles

Wear airtight protective goggles according to EN ISO 16321-1:2022

(Contd. on page 6)

EU

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006, ARTICLE 31

GREWI PU 750-Pistolenschaum

Page 6 of 10

Creation date: 29.05.2026, Revision: 29.05.2026

Version: 2

GREWI Handels GmbH
A-4633 Kematen/I. · Moos Nr. 40
ATU 62309807 · FN 275114 f
Tel. +43(0)7247/6920
Fax +43(0)7247/6920-20
E-Mail office@grewi.at
www.grewi.at



Die Marke für Profis

(Contd. of page 5)

- **Body protection:** Protective work clothing EN ISO 13688:2013.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

- **General Information**
- **Physical state** Aerosol
- **Colour:** According to product specification
- **Odour:** Characteristic
- **Melting point/freezing point:** Undetermined
- **Boiling point or initial boiling point and boiling range** Not applicable, as aerosol
- **Flammability** Not applicable
- **Lower and upper explosion limit**
- **Lower:** Not determined
- **Upper:** Not determined
- **Flash point:** Not applicable, as aerosol
- **Decomposition temperature:** Not determined
- **pH** Not determined
- **Viscosity:**
- **Kinematic viscosity** Not determined
- **Dynamic:** Not determined
- **Solubility**
- **water:** Insoluble.
- **Partition coefficient n-octanol/water (log value)** Not determined
- **Vapour pressure:** Not determined
- **Density and/or relative density**
- **Density:** Not determined
- **Relative density** Not determined
- **Vapour density** Not determined

· 9.2 Other information

- **Appearance:**
- **Form:** Aerosol
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Not determined
- **Solvent content:**
- **VOC (EC)** 20.60 %
- **Change in condition**
- **Evaporation rate** Not applicable.

· Information with regard to physical hazard classes

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Extremely flammable aerosol. Pressurised container: May burst if heated.
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void

(Contd. on page 7)

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006, ARTICLE 31

GREWI PU 750-Pistolenschaum

Page 7 of 10

Creation date: 29.05.2026, Revision: 29.05.2026

Version: 2

GREWI Handels GmbH
A-4633 Kematen/I. · Moos Nr. 40
ATU 62309807 · FN 275114 f
Tel. +43(0)7247/6920
Fax +43(0)7247/6920-20
E-Mail office@grewi.at
www.grewi.at



Die Marke für Profis

(Contd. of page 6)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Stable under recommended storage and handling conditions.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Contact with water releases flammable gases.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Hydrogen cyanide (prussic acid)
Carbon monoxide
Nitrogen oxides (NO_x)

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if inhaled.

- **LD/LC50 values relevant for classification:**

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

Inhalative	LC50/4 h	1.5 mg/l (ATE)
------------	----------	----------------

CAS: 115-10-6 dimethyl ether

Inhalative	LC50/4 h	308 mg/l (rat)
------------	----------	----------------

CAS: 1244733-77-4 reaction products of phosphoryl trichloride and 2-methyloxirane

Oral	LD50	2,000 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 8)

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006, ARTICLE 31

GREWI PU 750-Pistolenschaum

Page 8 of 10

Creation date: 29.05.2026, Revision: 29.05.2026

Version: 2

GREWI Handels GmbH
A-4633 Kematen/I. · Moos Nr. 40
ATU 62309807 · FN 275114 f
Tel. +43(0)7247/6920
Fax +43(0)7247/6920-20
E-Mail office@grewi.at
www.grewi.at



Die Marke für Profis

(Contd. of page 7)

- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment** Not applicable
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**

08 05 01*	waste isocyanates
16 05 04*	gases in pressure containers (including halons) containing hazardous substances
15 01 10*	packaging containing residues of or contaminated by hazardous substances
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** 1950
- **14.2 UN proper shipping name**
- **ADR** 1950 AEROSOLS

(Contd. on page 9)

EU

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006, ARTICLE 31

GREWI PU 750-Pistolenschaum

Page 9 of 10

Creation date: 29.05.2026, Revision: 29.05.2026

Version: 2

GREWI Handels GmbH
A-4633 Kematen/I. · Moos Nr. 40
ATU 62309807 · FN 275114 f
Tel. +43(0)7247/6920
Fax +43(0)7247/6920-20
E-Mail office@grewi.at
www.grewi.at



Die Marke für Profis

(Contd. of page 8)

· IMDG, IATA	AEROSOLI
· 14.3 Transport hazard class(es)	
· ADR	
· Class	2 5F Gases.
· Label	2.1
· IMDG, IATA	
· Class	2.1 Gases.
· Label	2.1
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	
· EMS Number:	Not applicable F-D,S-U
· 14.7 Maritime transport in bulk according to IMO instruments	
	Not applicable
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1l
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) 2020/878
amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council
concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 10)

SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) 1907/2006, ARTICLE 31

GREWI PU 750-Pistolenschaum

Page 10 of 10

Creation date: 29.05.2026, Revision: 29.05.2026

Version: 2

GREWI Handels GmbH

A-4633 Kematen/I. · Moos Nr. 40

ATU 62309807 · FN 275114 f

Tel. +43(0)7247/6920

Fax +43(0)7247/6920-20

E-Mail office@grewi.at

www.grewi.at



Die Marke für Profis

(Contd. of page 9)

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

- H220 Extremely flammable gas.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH204 Contains isocyanates. May produce an allergic reaction.

· **Version number of previous version:** 1

· Abbreviations and acronyms:

- ATE: Acute toxicity estimate values
- Flam. Gas 1A: Flammable gases – Category 1A
- Aerosol 1: Aerosols – Category 1
- Press. Gas (Comp.): Gases under pressure – Compressed gas
- Flam. Liq. 3: Flammable liquids – Category 3
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Resp. Sens. 1: Respiratory sensitisation – Category 1
- Skin Sens. 1: Skin sensitisation – Category 1
- Carc. 2: Carcinogenicity – Category 2
- Repr. 2: Reproductive toxicity – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EU